

PRODUCT CATALOG V3.0



DOOR GASKETS
STRIP CURTAINS
DOOR & FRAME PARTS



Direct Refrigeration Sales (800) 455-1544 support@directrefrigeration.com www.directrefrigeration.com

WHY PARTNER WITH DRS?

Direct Refrigeration Sales (DRS) was founded in 2010. Our mission from day one — to offer OEM quality products without the OEM price. Our gaskets have machine-welded corners and are hand-trimmed to produce an excellent fit and finish.

DRS offers OEM quality parts and a comprehensive selection of strip curtain systems. Our white glove customer service and attention to detail sets us apart. If you are looking for a partner to support your needs for gaskets, parts, or strip curtains we would be honored to help you.

DIRECT REFRIGERATION SALES

1420 Oak Industrial Ln, Cumming, GA 30041 (800) 455-1544 support@directrefrigeration.com www.directrefrigeration.com



DRS Gaskets & Strip Curtain material are proudly made in the USA!



TABLE OF CONTENTS

DRS Parts for Anthony Doors & Frames	1
DRS 5-PK & 10-PK Specials	8
DRS Parts for Hussmann Doors & Frames	10
DRS Parts for Commercial/Styleline	13
DRS Parts for Ardco/Gemtron	15
Walk-in Cooler/Freezer Parts	19
Common Gasket Profiles	21
DRS Gasket Roller Tool	25
DRS Gasket Profile Tool	26
Strip Curtains	27
Honeycomb	33
FlareSeal® Multi-Ring Seal	34



DRS PARTS FOR ANTHONY DOORS & FRAMES

Ordering Tips

Please provide a photo of the WO tag located on the top of the door. For further confirmation, identify the width of your gasket; 1-1/8" wide is an Aircell style, while 5/8" wide is an Anvil style.

A | Part# 18F23577 GE4 69" DOE | IM U.S.A. | W/O# 1917812 10-1 | 1101 Sovis Road, Madison, GA 30650 Service | ANTHONY WHSE / MADISON GA | SEQ# 6725667 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128/13 | 128




G101

1 1/8" wide - Aircell style with a magnet For various Anthony models e.g. 101B, 101X, 210X, ELM door models. 3 or 4 sided



G102

5/8" wide - Anvil style with a magnet For various Anthony models e.g. 601B, 401B, 2200, 6001 door models. 3 or 4 sided



G103

Double dart frame gasket For various Anthony models e.g. 1000 Series, 1KDB, 1KDR door models




G104

Single dart frame gasket For various Anthony models e.g. 1000 Series, 1KDB, 1KDR

IF YOU DO NOT HAVE A DOOR TAG:

Use the graphics to identify the correct gasket profile, then measure the outside-to-outside dimensions of the gasket to the nearest 1/16th.





Aircell Style Gasket 1 1/8" wide

For various Anthony models e.g. 101X, 101B, ELM, 210X door models G101



Anvil Style Gasket 5/8" wide

For various Anthony models e.g. 601B, 0401, 2200, 3300, 6001 door models

G102



Frame Gasket Double Dart

For common Anthony door model 1000 series

G103



Frame Gasket Single Dart

For common Anthony door model 1000 series

G104



Aircell Style Gasket 1 1/8" wide

For various Anthony models e.g. 210Z / 213Z door models

G105

Gasket profiles G101 & G105 are similar. Please note the G101 has an <u>arrow</u> shaped dart and G105 has a <u>flat</u> shaped dart (as noted in the photo).





DRS Door Sweep with Hardware, 38 5/8" wide For 3-sided, U-shaped glass doors, e.g. 213Z / 103B / ELM23 / 3300

PN 10243B



Center Flap Seal
Gasket
1" wide x 85" long
Snap-in style with
rigid back

PN 10194



Center Flap Seal Gasket 1 3/8" wide 63" long

63" PN 10211

85"

PN 10213



Center Flap Seal Gasket 1 3/16" wide 63" long 85" long

85" long

63"

PN 10166

85"

PN 10167



Center Flap Seal
Gasket
73 1/16" long
For Anthony Model 210Z door

PN 10246



Corner Bumper
1" Snap-on
For Hill Phoenix
refrigerator display case





Vista B/W Clear Wiper 73" long

For Vista B and Vista W door models

PN 10129



Electrical Access Hole Cover

Black or Silver Special pricing on 5 & 10 packs Black PN 10069

Silver PN 10085



Electrical Access Hole Cover Silver

For Anthony model 210Z

PN 10244



DRS Contact Plate Narrow, 1.5" wide 30" long

72" long

30" PN 10125B

72" PN 10147B



DRS Contact Plate Wide, Long Mullion 2.515" wide x 72" long

PN 10123B



DRS Contact Plate Retainer Zipper Strip 32" or 72" long

32" or 72" long Special pricing on 5 & 10 packs

72"

32"

PN 10143B

PN 10118B



DRS Torque Rod 29" long Special pricing on 5 & 10 packs

PN 10071



DRS Torque Master Silver Special pricing on 5 & 10 packs

PN 10006



DRS Torque Master Black Special pricing on 5 & 10 packs

PN 10072



DRS Hold Open Bracket Kit with Hardware Special pricing on 5 & 10 packs

PN 10183B



DRS Hold Open Bracket

PN 10188



DRS Hold Open Hardware Kit

PN 10184B





Pivot Standoff

PN 10189



Pivot Standoff Screw

PN 10187



Oversized Pivot Standoff

PN 10192



Shoulder Bolt

PN 10004



Oversized Shoulder Bolt

PN 10108



Washer For shoulder bolt

PN 10190



Washer For oversized shoulder bolt



Slimline Handle Screw

PN 10104



Slimline Door Handle with Screws Black or Chrome

Special pricing on 5 &

10 packs

Black PN 10103B

Chrome PN 10140B



Slimline Door Handle Repair Kit

Black or Chrome Ideal for the STRIPPED door handle (call for details) Black PN 10254B

Chrome PN 10255B



DRS Hinge Pin with Leads

Black or Silver Special pricing on 5 & 10 packs

Black PN 10099

Silver PN 10105



DRS Electrical Hinge Pin Receptacle Single Universal

Special pricing on 5 & 10 packs

PN 10097



DRS Electrical Hinge Pin Receptacle Double Special pricing on 5 & 10 packs

DRS 5-PACK & 10-PACK SPECIALS



Electrical Access Hole Cover Black or Silver Blk - PN 10069-5PK Blk - PN 10069-10PK

SIV - PN 10085-5PK SIV - PN 10085-10PK



DRS Contact Plate Retainer Zipper Strip 32" or 72" long 32"- PN 10118B-5PK 32"- PN 10118B-10PK

72"- PN 10143B-5PK 72"- PN 10143B-10PK



Slimline Door Handle with Screws Black or Chrome Blk - PN 10103B-5PK

Blk - PN 10103B-10PK

Chr - PN 10140B-5PK Chr - PN 10140B-10PK



DRS Hinge Pin with Leads Black or Silver Blk - PN 10099-5PK

Blk - PN 10099-10PK

SIV - PN 10105-5PK SIV - PN 10105-10PK



DRS Electrical Hinge Pin Receptacle Single Universal

PN 10097-5PK PN 10097-10PK



DRS Electrical Hinge Pin Receptacle Double

PN 10100-5PK PN 10100-10PK



DRS Torque Rod 29" long

PN 10071-5PK PN 10071-10PK



DRS Left-Hinge Torque Rod RL Door

PN 10046-5PK PN 10046-10PK



DRS Bottom Hinge Socket Kit with Hardware

PN 10047B-5PK PN 10047B-10PK



DRS Torque Master Silver

PN 10006-5PK PN 10006-10PK



DRS Torque Master Black

PN 10072-5PK PN 10072-10PK



DRS Hold Open Bracket Kit with Hardware Special pricing on 5 & 10 packs

PN 10183B-5PK PN 10183B-10PK

DRS PARTS FOR HUSSMANN DOORS & FRAMES

Ordering Tips

Please use the door size and/or case model (RL or RLT):

- The Hussmann RL door is approximately 30" x 65 1/2"
- The Hussmann RLT door is taller and approximately 30" x 73 1/8"
- · Please provide the ITEM number as shown on the door tag

S/N MD13M117692

HUSSMANN

ITEM: 0522314 ORDER: M770800
DESCRIPTION: DOOR - INNOVATOR 1 LH BLACK
MADE IN MEXICO PAT. No.6,393,768



Door Gasket Black

RL door: 30" x 65 1/2" G301

RLT door: 30" x 73 1/8"



Door Gasket Gray

RL door: 30" x 65 1/2"

RLT door: 30" x 73 1/8"



DRS Hold Open Bracket Kit with Shoulder Bolts

PN 10007B



DRS Left-Hinge
Torque Rod
RL Door - Special pricing
on 5 & 10 packs

PN 10046



DRS Left-Hinge Torque Rod RLT Door

PN 10165



DRS Right-Hinge Torque Rod RL Door

PN 10207



DRS Bottom Hinge Socket

PN 10047



DRS Bottom Hinge Socket Kit with Hardware Special pricing on 5 & 10 packs

PN 10047B



DRS Top Hinge Socket





Socket Screw For bottom & top hinge socket

PN 10048

mmm



Top Hinge Kit

PN 10169B



Electrical Receptacle Black For Innovator door

PN 10180



Door Handle Kit For Hussmann

with hardware

PN 10253B



Lower Bumper

For 5-door Hussmann refrigerator display

PN 10256

GOT QUESTIONS? WE CAN HELP! (800) 455-1544 Support@DirectRefrigeration.com

DRS PARTS FOR COMMERCIAL / STYLELINE

Ordering Tips

Please provide the outside-to-outside dimensions of the <u>gasket</u> to the nearest 1/16" and select the gasket profile from below. The gasket profiles we carry for the Commercial/Styleline doors are G701 or G702.

Be sure to note whether the gasket is a screw-on or snap-in profile.



Gasket Screw-on style

G701



Single Dart Gasket Snap-in style

G702



DRS Bottom Hold Open With clip





Top Hinge Kit

PN 10135



Oversized Shoulder Bolt Frame side

PN 10151



Bottom Hinge Kit

PN 10134



1420 Oak Industrial Ln Cumming, GA 30041

(800) 455-1544
Support@DirectRefrigeration.com
www.DirectRefrigeration.com

DRS PARTS FOR ARDCO / GEMTRON


Ordering Tips

Gemtron Doors

Please provide the outside-to-outside dimensions of the <u>door</u> to the nearest 1/16".



Gemtron Door Tag



Ardco Doors

Please provide the outside-to-outside door dimensions to the nearest 1/16" and select the gasket profile, G201 or G202 from the photo provided.





Ardco Door Tag

Common Models: ETEC, ETEP, SWNG, 101G, Mline







Ardco/Gemtron Gasket 1 3/8" wide



Ardco/Entertec/ETEC Gasket 1 7/8" wide

G202



DRS Hold Open Bracket For Gemtron door top

PN 10076



DRS
Top Hold Open Kit
For Gemtron

PN 10195B



Gemtron Hold Open Bolt

PN 10077



Gemtron Hold Open Washer



Ardco/Gemtron
Door Closer Kit

PN 10201



Top Hinge PinFor Ardco/Gemtron door

PN 10196



Gemtron Hinge Pin With leads

PN 10205



Gemtron Hinge Pin Double Receptacle

PN 10206



Torque Rod Gemtron Door For Anthony style door

PN 10071



Torque Master Gemtron Door For Anthony style door





Gemtron Contact Plate

PN 10112



Gemtron
Contact Plate Retainer





WALK-IN COOLER & FREEZER PARTS

Ordering Tips

Step 1

Choose the gasket profile:

G501

Screw-on Compression Gasket No Magnet

G512

Triple Dart Bally, W.A. Brown

G516

Single Dart, Snap-in Kysor, Crown Tonka, Beverage Air

G521

Screw-on w/ Magnet Traulsen, LaRosa, Leer











All gaskets are customizable for under-counter refrigerators and refrigerator drawers.

Step 2


Identify the number of sides:





Step 3

Measure the outside-to-outside gasket dimensions to the nearest 1/16":



Please confirm all details are correct before placing the order.

> Custom gaskets are <u>not eligible</u> for returns or refunds.





Screw-On Compression Gasket With no magnet



Bally, WA Brown Triple dart

G512



Kysor, Crown Tonka, Beverage Air Single dart snap-in

G516



Retainer Walk-in Dart Track For DRS G516 in 8' segments

G599-000



Traulsen, Larosa, Leer Starrett Screw-on with magnet

G521



Door Sweep 1 3/4" wide 3' or 4' lengths

3 ft PN 10042

4 ft PN 10057

COMMON GASKET PROFILES



DRS Gaskets are proudly made in the USA!




Aircell 1 1/8" wide Commonly used for Anthony doors

G101



Anvil 5/8" wide Commonly used for Anthony doors

G102



Frame Mounted Gasket Double Dart Commonly used for Anthony doors

G103



Frame Mounted Gasket Single Dart Commonly used for **Anthony Doors**

G104



Aircell 1 1/8" Wide For various Anthony models e.g. 210Z / 213Z





Ardco/Gemtron Gasket Profile 1 3/8" wide




Enertech/Ardco/ETEC 1 7/8" wide

G202



Hussmann Gasket Black

Door RL: 30" x 65 1/2" Door RLT: 30" x 73 1/8" G301



Hussmann Gasket Gray

Door RL: 30" x 65 1/2" Door RLT: 30" x 73 1/8" G302



Randell

Commonly used on Silver King G328



Delfield



Styleline Screw-on



Styleline Snap-in

G702



Commonly used for True and Beverage Air

G185



True

G410



True

G411



True





Screw-on Compression Gasket No magnet



Bally, WA Brown Triple dart snap-in

G512



Kysor, Crown Tonka, Beverage Air Single dart snap-in

G516



Traulsen, Larosa, Leer Starrett Screw-on with magnet

G521

GOT QUESTIONS? WE CAN HELP! (800) 455-1544 Support@DirectRefrigeration.com

DRS GASKET ROLLER TOOL

Save Time, Money and Your Thumbs!

Our proprietary gasket installation tool features flat, wide (11/4") wheels.

Wider than the most popular gaskets, the wheel's surface makes for fast and easy gasket installation.



With the **DRS Gasket Roller Tool** you will:

- Increase productivity!
- · Install more gaskets faster!
- Save the wear and tear on your fingers and thumbs!



Scan the QR CODE with your phone's camera to see the Gasket Roller Tool in action!



GASKET REFERENCE TOOL

Easily Identify the Gaskets You Need!

The **DRS Gasket Profile Reference Tool** is a great resource to identify the exact gasket that is required.

The ring contains an assortment of DRS gasket profiles so you can easily see which one will work for you.

GASKET SAMPLE RING



GOT QUESTIONS? WE CAN HELP! (800) 455-1544 Support@DirectRefrigeration.com

DRS STRIP CURTAINS & BRACKETS

DRS Strip Curtain Systems

Replacing individual strips is simple!

There's no bracket system disassembly and reassembly needed. Each strip is pre-drilled and pre-cut for quick and easy installation on the DRS Bracket System.




8" Low-Temp Smooth (clear)



8" Low-Temp Smooth (safety orange)



8" Low-Temp Ribbed (clear)



12" Low-Temp Smooth (clear)



12" Low-Temp Ribbed (clear)





DRS Strip Curtain material is proudly made in the USA!

Helpful Videos



PRODUCT INFORMATION VIDEO (0:41)

Curious about installation?
Wondering if DRS strips are right for you?

Scan the QR Codes with your phone's camera to watch these quick and helpful videos.




VIDEO INSTALLATION GUIDE (01:35)



DRS Bracket System

Ideal for Cooler/Freezer Doors and Cart Doors



8" Low-Temp Smooth (clear)

8" Low-Temp Ribbed (clear)



Universal Brackets

Ideal for Receiving Doors

Available in 3' and 4' sections



12" Low-Temp Smooth (clear)



12" Low-Temp Ribbed (clear)



Strip Curtains in Common Sizes

SC08-RS64 Strip Curtain Replacement Strip - 8" wide x 64" long Smooth Low Temp, Pre-Cut/Punched		
SC08-RS100	Strip Curtain Replacement Strip - 8" wide x 100" long Smooth Low Temp, Pre-Cut/Punched	
SC08-RS120	Strip Curtain Replacement Strip - 8" wide x 120" long Smooth Low Temp, Pre-Cut/Punched	
SC08-RS100- 10PK	Strip Curtain Replacement Strip - 8" wide x 100" long Smooth Low Temp, Pre-Cut/Punched - 10 Pack	
SC08-RS120- 10PK	Strip Curtain Replacement Strip - 8" wide x 120" long Smooth Low Temp, Pre-Cut/Punched - 10 Pack	

pricing.

Strip Curtain Brackets

10126B	12" HD Strip Curtain Mounting Bracket Kit - includes (1) 12" HD bracket, (2) screws
10127B	24" HD Strip Curtain Mounting Bracket Kit - includes (1) 24" HD bracket, (4) screws
10237	Universal Bracket - Wall Mount Hardware - 3' section - 36"
10238	Universal Bracket - Wall Mount Hardware - 4' section - 48"



DRS Strip Curtain Kits

Our strip curtain kits include the brackets, strips, and self-tapping screws. All kits come with an extra foot of bracket to provide overlap on each side of the door opening. To select the optimal kit for your application, all we need is the door opening dimensions.

Our standard configuration is the DRS bracket with 8" wide low-temp strips with 50% overlap. Additionally, we offer safety orange strips and kits with 100% overlap. For strip curtain kits with 12" wide strips, our standard offering is 33% overlap. We also offer 66% and 100% overlap options.

Common Sizes - Strip Curtain Kits			
SC08-60100-HD (door size 4' x 8')	DRS Strip Curtain Kit - 5' wide x 100" long strips - includes 9 low-temp strips, 5 feet of aluminum mounting brackets and 10 screws		
SC08-72100-HD (door size 5' x 8')	DRS Strip Curtain Kit - 6' wide x 100" long strips - includes 11 low-temp strips, 6 feet of aluminum mounting brackets and 12 screws		
SC08-84100-HD (door size 6' x 8')	DRS Strip Curtain Kit - 7' wide x 100" long strips - includes 13 low-temp strips, 7 feet of aluminum mounting brackets and 14 screws		
SC08-60120-HD (door size 4' x 10')	DRS Strip Curtain Kit - 5' wide x 120" long strips - includes 9 low-temp strips, 5 feet of aluminum mounting brackets and 10 screws		
SC08-72120-HD (door size 5' x 10')	DRS Strip Curtain Kit - 6' wide x 120" long strips - includes 11 low-temp strips, 6 feet of aluminum mounting brackets and 12 screws		
SC08-84120-HD (door size 6' x 10')	DRS Strip Curtain Kit - 7' wide x 120" long strips - includes 13 low-temp strips, 7 feet of aluminum mounting brackets and 14 screws		

Kits with the Universal Bracket and/or Safety Orange are also available.

DRS Strip Curtain Rolls - Smooth		
10060- Precut 64	8" Low-Temp Clear Replacement Strip Roll (1 Box = 150 ft) Pre-cut/Pre-punched at 64"	28 strips per roll (150 ft.)
10060- Precut 100	8" Low-Temp Clear Replacement Strip Roll (1 Box = 150 ft) Pre-cut/Pre-punched at 100"	18 strips per roll (150 ft.)
10060- Precut 120	8" Low-Temp Clear Replacement Strip Roll (1 Box = 150 ft) Pre-cut/Pre-punched at 120"	14 strips per roll (150 ft.)

Ribbed and Safety Orange Rolls are also available.







GOT QUESTIONS? WE CAN HELP! (800) 455-1544 Support@DirectRefrigeration.com



DRS Strip Curtains - Installed

Before







Cart Door


Receiving Door





HONEYCOMB

DRS offers a wide variety of Honeycomb options; the most common sizes are listed below. For other sizes, please contact Team DRS at (800) 455-1544.



WHITE 1/8" cell		
1" × 4" × 48"	PN 10061	
1" x 4.5" x 48"	PN 10088	
1" x 6" x 48"	PN 10156	



BLACK 1/8" cell			
1" x 4" x 48"	PN 10160		
1" x 4.5" x 48"	PN 10161		
1" x 6" x 48"	PN 10164		



FLARESEAL MULTI-RING

Get Leak-Free Flare Connections with FlareSeal® ... an Industry Changing Multi-Ring Seal!

The FlareSeal® Multi-Ring Seal is an engineered copper gasket with a special multi-ring design on the flare surface.



Developed specifically for the HVAC/R industry, FlareSeal® Multi-Ring Seal protects against the primary area of flare leaks...on the sealing surface.

FlareSeal® fits all common SAE flare connections for our industry. It not only provides a long term leak-free connection on new installations or products, but it also can be used to stop weeping connections in existing systems. Once assembled, the FlareSeal® becomes the BEST long-term, leak-free flare connection in the industry!

Endless Applications!

Pilot Lines

Evaporator Pressure Regulators

Hi-Low Pressure Controls

Thermostatic Expansion Valves

Filter Driers

Oil Filters

HVAC Mini-Splits

LP Gas Lines



Maximum Torque Settings

1/4" (-04)	13-17 ft-lbs
3/8" (-06)	24-31 ft-lbs
1/2" (-08)	36-45 ft-lbs
5/8" (-10)	45-60 ft-lbs
3/4" (-12)	66-88 ft-lbs



Ordering Information

Size	FlareSeal Part Number	Box Qty 100 Part Number	Box Qty 50 Part Number	Box Qty 10 Part Number
1/4"	45FS-04-CLR 100	10208		10232
3/8"	45FS-06-CLR 100	10209		10233
1/2"	45FS-08-CLR 100	10240		10234
5/8"	45FS-10-CLR 50		10241	10235
3/4"	45FS-12-CLR		10242	10236

*Minimum order is box quantity.
For lower quantities please visit <u>www.FlareSeal.com</u>.



Try our FlareSeal® Variety Pack

It's the perfect variety pack for the HVAC or Refrigeration Contractor!

Each FlareSeal® Variety Pack contains 10 each of the 4 sizes:

5/8"

1/4" 1/2"

3/8"



PN 10210



GOT QUESTIONS? WE CAN HELP! (800) 455-1544 Support@DirectRefrigeration.com



1420 Oak Industrial Ln Cumming, GA 30041

www.directrefrigeration.com support@directrefrigeration.com (800) 455-1544